

EYESAFE FRAME CATALOGUE



2019

BC DOCTORS OF OPTOMETRY

Choosing the Correct Frame

Eyesafe™ offers a large selection of frames – from a regular flat style to close-fitting wrapped and sealed options. Choosing the right frame requires that you understand the following:

WHAT EYE SAFETY HAZARDS DO YOU FACE AT YOUR WORK PLACE?

It is critical to understand the types of safety hazards that you will face at your work place. Some hazards require special types of safety frames, such as chemical goggles if you are working closely with hazardous liquids. Sealed and semi-sealed frames work best for environments with airborne dust and debris. To ensure that you receive the proper safety eyewear and the correct degree of eye protection, discuss your work place hazards with your Eyesafe™ clinic.

KNOW YOUR FRAME MATERIAL CHOICES

Frames are available in both metals and plastics. Choose the proper materials based on your work environment and hazards, personal style, fit and feel. Eyesafe™ provides nonconductive eyewear for individuals who are exposed to electrical work hazards. Materials that are normally used in the manufacture of safety frames include polyurethane, nylon, thermoplastic, monel, acrylics, titanium, stainless steel and acetate. The Eyesafe™ catalogue shows the manufacturing materials for each frame.

COMFORT AND DESIGN

Every individual has a unique facial structure. Opt for a pair of frames that are light, fit well on the bridge of your nose and provide a good level of peripheral vision. When visiting an Eyesafe™ clinic, you will be provided with a choice of frames that work best for your facial features.

WHAT IS YOUR EMPLOYER'S POLICY REQUIREMENT?

Frame style: Does your employer require that you have a specific style of frame? For example, many employers require safety eyewear to consist of close fitting style frames only. Check your job order for this information or ask your company safety professional for details.



Compliance standard: Eyesafe™ provides frames that meet CSA Z94.3 (Canadian Standards Association) or ANSI Z87.1 (American National Standards Institute). Your employer will have a policy as to which standard(s) are acceptable for safety frames. Check your job order for this information or if in doubt, ask your company safety professional for details.

Side shields: Frames are available with fixed, removable or integrated side shields. When choosing a frame, ensure that the available side shield meets with your employer's requirement for side shields as noted on your job order.

Lens Choice and Lens Coatings

LENS COATINGS

Lens coatings are available to protect you and your eyewear. Your job order will specify the type of coatings that are approved as well as any limits or restrictions. To avoid scratching your lenses, always wet before wiping.

Scratch Resistance Coating: Available on all lenses, a scratch resistance coating protects your lenses by creating a stronger bond surface on the lens. While not 100% scratch-proof, the coating will prolong the life of your lenses by preventing minor scratches from wiping or small debris.

Ultra Violet Coating: An Ultraviolet (UV) coating provides protection from UV radiation that can potentially damage the structure of the eye. Some lenses already have a UV coating applied. Ask your clinic professional for details.



Tints: Tinted lenses are widely used by workers exposed to bright sunshine for long periods of time as well as high intensity lighting tasks such as welding. Tinted lenses are not meant to be worn in low light conditions. If tints are an approved option by your employer, ask your clinic professional if tinted lenses are right for your work environment.

Anti-Reflective Coating: A thin coating that eliminates reflections and glare from the surface of the lens. Anti-reflective coatings also improve light transmission through the lens for night driving and help reduce glare in bright sunlight.

Photochromatics: Photochromatic lenses reduce the hassle of changing eyewear in differing light conditions. The lenses will automatically darken when exposed to specific types of light. Unlike tinted lenses, you cannot control how dark your lenses will get. When used in safety eyewear, it is important to understand that photochromatics take time to clear when the lenses are dark. The time delay will vary based on the darkness of the lens.

Please review your employer's criteria on your job order for allowable options.

LENS CHOICE

Polycarbonate and CR-39 (an allyl plastic) are the most widely used lens materials for safety prescription eyewear. CR-39 is lightweight and offers excellent optical clarity as well as durability. Polycarbonate is even lighter than CR-39 and provides significantly more impact resistance. However, polycarbonate is prone to easily scratching. Newer lightweight materials are now also available, including Trivex lenses.

Your clinic will determine the best choice of lenses based on the available options approved by your employer, your work hazards and work environment as well as your prescription. The clinic staff are professionals at choosing the right lenses and will work to ensure the PROPER FIT for your eyewear. All Eyesafe™ lenses meet CSA compliance standards.

MENU

CHOOSING THE CORRECT FRAME 01

LENS CHOICE AND LENS COATINGS 02

ARMOURX COLLECTION

WRAP-RX COLLECTION 04

BASIC COLLECTION 14

CLASSIC COLLECTION 19

METRO COLLECTION 23

TITANIUM COLLECTION 31

SIDE SHIELD REFERENCE 31

SPARE PARTS INFORMATION 31

HILCO COLLECTION

ONGUARD COLLECTIONS 32

ONGUARD WRAP COLLECTION 32

ONGUARD TITANIUM COLLECTION 34

ONGUARD ELITE COLLECTION 36

ONGUARD PREMIUM COLLECTION 39

ONGUARD VALUE COLLECTION 42

ONGUARD BASIC COLLECTION 44

ONGUARD SPECIALTY COLLECTION 46

ONGUARD PLANO COLLECTION 47

ONGUARD QUICK FRAME REFERENCE CHART 49

A - 2 COLLECTION 52

A - 2 QUICK FRAME REFERENCE CHART 52

A - 2 SIDE SHIELD REFERENCE CHART 55

SIDE SHIELD REFERENCE CHART 64

THE WRAP-RX COLLECTION

brings together both function and style.

The protective structure of an integrated side shield, quality material and available accessories, make these wrap-around models ideal for the workplace. The WRAP-Rx Collection is great for indoor and outdoor work environments.



MODEL 6001

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1
- Cushion and Dust Bar accessories available

ACCESSORIES

AVAILABLE SEPARATELY



REMOVABLE CUSHION
P/N 6001C

DUST BAR
P/N 6001D



SIZE | 62-16-125



62.00



39.00



65.40



16



125



non conductive



BLACK



BRONZE



CRYSTAL



GREY

MODEL 6002

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1
- CSA Z94.3
- Strap, cushion and dust bar accessories available

ACCESSORIES

AVAILABLE SEPARATELY



REMOVABLE CUSHION
P/N 6002C

DUST BAR
P/N 6002D

STRAP
P/N STRAP



non conductive

SIZE | 53-18-125



53.50



35.60



56.10



18



125



CRYSTAL



GREY

MODEL 6005

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3
- Additional lens holders available

ACCESSORIES INCLUDED



REMOVABLE LENS HOLDERS
P/N 6005L



REMOVABLE CUSHION
P/N 6005C



STRAP
P/N 6005S



SIZE | 62-16-120



62.00



39.00



65.40



16



120



AVAILABLE ONLY IN BLACK

MODEL 6006

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1
CSA Z94.3
- Cushion and strap included

ACCESSORIES INCLUDED

ICON

REMOVABLE CUSHION
P/N 6006C



STRAP
P/N 6006S



non conductive

SIZE | 60-17-128



59.90



37.20



62.90



17



128



BLACK



BLUE



GREY

MODEL 6007

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1
CSA Z94.3
- Cushion and strap included

ACCESSORIES INCLUDED



REMOVABLE CUSHION
P/N 6007C

STRAP
P/N 6007S



non conductive

SIZE | 64-17-116

64.00	38.50	68.40	17	116



BLACK



GREY



Shown with temples removed and replaced with strap.

MODEL 6008

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3
- Non-conductive (no metal content)
- Dust bar included

ACCESSORIES INCLUDED



REMOVABLE DUST BAR
P/N 6008D



non conductive

SIZE | 59-19-114

58.80	37.30	64.06	19	114



BLUE



GREY



PINK

MODEL 6008FS

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3
- Non-conductive (no metal content)
- Full seal rubber cushion

ACCESSORIES INCLUDED



REMOVABLE FULL SEAL
P/N 6008SL



non conductive

SIZE | 59-19-114



58.80



37.30



64.06



19



114



AVAILABLE ONLY IN BLACK

MODEL 6009

- Integrated side shield protection
- Non-conductive (no metal content)
- Standards: ANSI Z87.1
CSA Z94.3
- Cushion and strap included

ACCESSORIES INCLUDED



REMOVABLE CUSHION
P/N 6009C

STRAP
P/N STRAP



non conductive

SIZE | 60 -16 -125



60.00



35.50



64.00



16



125



BLACK



CRYSTAL



GREY

* BLUE COLOUR WILL BE PHASED OUT IN 2018

MODEL 6010

- Integrated side shield protection
- Standards: ANSI Z87.1
- Cushion and strap included



ACCESSORIES INCLUDED



REMOVABLE CUSHION
P/N 6010C



STRAP
P/N 6010S

ADJUSTABLE
PANTOSCOPIC
TIILT



SIZE | 64-17-120



63.50



35.70



66.60



17



120



BLACK



BROWN



Shown with temples removed and replaced with strap

MODEL 6011

- Integrated side shield protection
- Standards: ANSI Z87.1
- CSA Z94.3

NEW FOR 2019
STRONGER ADJUSTABLE
NOSE PADS



SIZE | 55 -21-116



54.70



35.40



59.40



21



116



CAMO



GREY

MODEL 6012

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3



SIZE | 55 -22-120

55.00	35.00	57.00	22	120



AVAILABLE ONLY IN CAMO

MODEL 6013

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3



SIZE | 55 -17-125

54.48	33.28	54.92	17	125



AVAILABLE ONLY IN BLACK

MODEL 7900

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3



SIZE | 62 -14-127

62.00	39.00	65.00	14	127



AVAILABLE ONLY IN GREY

MODEL 7901

- Integrated side shield protection
- Standards: ANSI Z87.1
CSA Z94.3



SIZE | 62 -17-127

62.00	38.50	65.00	17	127



AVAILABLE ONLY IN GREY

THE BASIC COLLECTION

combines a minimal design and staple colours to create safety frames that are easy-to-wear. The collection's complimenting shapes are perfect for all face shapes. For a simple sophisticated look, the Basic Collection works!



MODEL 5001

- Standards: ANSI Z87.1
CSA Z94.3
(5001P ONLY)

REMOVABLE SIDE SHIELD P/N 252
PERMANENT SIDE SHIELD ORDER 5001P



5001P
Permanent Side Shields

SIZE | 54 -17-145



MODEL 5002

- Standards: ANSI Z87.1
CSA Z94.3
(5002P ONLY)

REMOVABLE SIDE SHIELD P/N 253
PERMANENT SIDE SHIELD ORDER 5002P



SIZE | 51 -16-135



MODEL 5003

- Standards: ANSI Z87.1
CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



SIZE | 62 -13-134



MODEL 5004

- Standards: ANSI Z87.1
CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



GREY



new!
in 2019

SIZE | 60 -13-134

60.30	40.30	66.20	13	134

MODEL 5005

- Standards: ANSI Z87.1
CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BLACK



new!
in 2019

SIZE | 56 -14-143

55.80	39.10	61.70	14	143

MODEL 5006

- Standards: ANSI Z87.1
CSA Z94.3

INTEGRATED SIDE SHIELD PROTECTION



BROWN



new!
in 2019

SIZE | 56 -14-143

56.10	37.70	63.70	14	143

MODEL 7012

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7012P ONLY)

REMOVABLE SIDE SHIELD P/N 222
PERMANENT SIDE SHIELD ORDER 7012P



SIZE					
55-17-140	55.00	34.10	57.80	17	140
57-17-140	57.00	35.30	60.20	17	140
59-17-145	59.00	36.50	62.20	17	145

MODEL 7013

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7013P ONLY)

REMOVABLE SIDE SHIELD P/N 223
PERMANENT SIDE SHIELD ORDER 7013P



SIZE					
52-17-140	52.00	34.40	55.80	17	140
54-17-140	54.00	35.00	57.50	17	140
56-17-145	56.00	36.30	59.80	17	145

MODEL 7014

- Front Material: Stainless steel
- Temple Material: Stainless steel
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD P/N 224
PERMANENT SIDE SHIELD ORDER 7014P



SIZE					
51-18-135	51.00	34.40	54.20	18	135
53-18-135	53.00	34.40	55.60	18	135



MODEL 7700

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7700P ONLY)

REMOVABLE SIDE SHIELD P/N 236
PERMANENT SIDE SHIELD ORDER 7700P



SIZE | 53 -17-135

53.00	35.10	55.50	17	135

MODEL 7701

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7701P ONLY)

REMOVABLE SIDE SHIELD P/N 236
PERMANENT SIDE SHIELD ORDER 7701P



SIZE

49-20-140	49.00	35.40	50.70	20
52-20-145	52.00	37.40	54.20	20

MODEL 7702

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7702P ONLY)

REMOVABLE SIDE SHIELD P/N 236
PERMANENT SIDE SHIELD ORDER 7702P



SIZE

51-20-140	51.00	35.60	52.10	20
54-20-145	54.00	37.30	55.60	20

THE CLASSIC COLLECTION

combines the craftsmanship of comfort and durability with timeless designs. Modern shapes meet classic designs, giving a tasteful and polished finish, complimenting any age group.



MODEL 7005

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
- CSA Z94.3 (7005P ONLY)

REMOVABLE SIDE SHIELD P/N 215
PERMANENT SIDE SHIELD ORDER 7005P



BROWN

GREY



SIZE	□	□	▢	⌗	—
56-16-145	56.00	34.40	60.20	16	145
59-16-145	59.00	34.80	63.00	16	145

MODEL 7006

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Comfort bridge
 - Standards: ANSI Z87.1
- CSA Z94.3 (7006P ONLY)

REMOVABLE SIDE SHIELD P/N 217
PERMANENT SIDE SHIELD ORDER 7006P



BRONZE

PEWTER



SIZE	□	□	▢	⌗	—
53-15-140	53.00	38.30	59.00	15	140
56-15-145	56.00	40.50	62.40	15	145

MODEL 7007

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Comfort bridge
 - Standards: ANSI Z87.1
- CSA Z94.3 (7007P ONLY)

REMOVABLE SIDE SHIELD P/N 217
PERMANENT SIDE SHIELD ORDER 7007P



BRONZE

PEWTER



SIZE	□	□	▢	⌗	—
52-15-140	52.00	40.50	57.80	15	140
55-15-145	55.00	42.80	61.20	15	145

MODEL 7400

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7400P ONLY)

REMOVABLE SIDE SHIELD P/N 244
PERMANENT SIDE SHIELD ORDER 7400P



BROWN

GREY



7400P
Permanent Side Shields

SIZE	□	□	▢	⌗	—
56-16-140	56.00	35.40	60.80	16	140
59-16-145	59.20	37.30	63.70	16	145

MODEL 7401

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7401P ONLY)

REMOVABLE SIDE SHIELD P/N 245
PERMANENT SIDE SHIELD ORDER 7401P



BROWN

PEWTER



7401P
Permanent Side Shields Calibri

SIZE	□	□	▢	⌗	—
56-18-140	56.00	35.40	60.50	18	140
59-18-145	59.20	37.20	63.60	18	145

MODEL 7402

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7402P ONLY)

REMOVABLE SIDE SHIELD P/N 244
PERMANENT SIDE SHIELD ORDER 7402P



BLUE

BROWN



7402P
Permanent Side Shields

SIZE	□	□	▢	⌗	—
54-18-140	54.10	37.20	57.40	18	140
57-18-145	57.00	39.50	60.50	18	145

MODEL 7403

- Front Material: Stainless steel
- Temple Material: Stainless steel
- Semi-rimless style, uses grooved lens
- Standards: ANSI Z87.1
- CSA Z94.3 (7403P ONLY)

REMOVABLE SIDE SHIELD P/N 249
PERMANENT SIDE SHIELD ORDER 7403P



BROWN

GREY



7403P
Permanent Side Shields

SIZE	□	□	▢	⌗	—
60-17-145	59.80	38.10	65.70	17	145
63-17-150	62.90	40.00	68.70	17	145

MODEL 7404

- Front Material: Stainless steel
- Temple Material: Stainless steel
- Standards: ANSI Z87.1
- CSA Z94.3 (7404P ONLY)

REMOVABLE SIDE SHIELD P/N 250
PERMANENT SIDE SHIELD ORDER 7404P



BLACK

GREEN



7404P
Permanent Side Shields

SIZE	□	□	▢	⌗	—
56-17-140	55.80	33.50	60.30	17	140
59-19-145	58.80	35.30	63.40	19	145

MODEL 7405

- Front Material: Stainless steel
- Temple Material: Stainless steel
- Standards: ANSI Z87.1
- CSA Z94.3 (7405P ONLY)

REMOVABLE SIDE SHIELD P/N 251
PERMANENT SIDE SHIELD ORDER 7405P



BLACK

BROWN



7405P
Permanent Side Shields

SIZE	□	□	▢	⌗	—
54-18-140	53.90	36.20	56.80	18	140
57-18-145	57.00	38.20	59.80	18	145

THE METRO COLLECTION

offers trendy styles and unique designs, with the performance and durability of safety eyewear.

A bold and chic collection made for the fashion conscious. Thinking outside-the-factory and onto the fashion streets.



MODEL 7000

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
- CSA Z94.3 (7000P ONLY)

REMOVABLE SIDE SHIELD P/N 210
PERMANENT SIDE SHIELD ORDER 7000P



7000P
Permanent Side Shields

SIZE					
55-16-140	55.00	33.90	58.20	16	140
57-16-145	57.00	33.90	60.00	16	145

MODEL 7001

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
- CSA Z94.3 (7001P ONLY)

REMOVABLE SIDE SHIELD P/N 211
PERMANENT SIDE SHIELD ORDER 70001P



SIZE					
52-15-145	52.00	34.40	54.80	15	145
55-15-150	55.00	36.30	58.00	15	150

MODEL 7002

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
- CSA Z94.3 (7002P ONLY)

REMOVABLE SIDE SHIELD P/N 212
PERMANENT SIDE SHIELD ORDER 70002P



SIZE					
54-15-145	54.00	32.50	57.00	15	145
57-15-150	57.00	32.50	59.40	15	150



7002P
Permanent Side Shields

MODEL 7003

- Front Material: Stainless steel
 - Temple Material: TR
 - Standards: ANSI Z87.1
CSA Z94.3
- (7003P ONLY)

REMOVABLE SIDE SHIELD P/N 213

PERMANENT SIDE SHIELD ORDER 7003P



SIZE

55-18-145	55.00	34.40	60.20	18	145
58-18-145	58.00	34.40	62.50	18	145

BLACK

BROWN

MODEL 7004

- Front Material: Stainless steel
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7004P ONLY)

REMOVABLE SIDE SHIELD P/N 214

PERMANENT SIDE SHIELD ORDER 7004P



SIZE

56-15-140	56.00	39.00	61.60	15	140
59-15-145	59.00	41.00	65.00	15	145

BROWN

GREEN

MODEL 7008

- Front Material: Stainless steel
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7008P ONLY)

REMOVABLE SIDE SHIELD P/N 218

PERMANENT SIDE SHIELD ORDER 7008P



SIZE | 53 -17-135

53.00	33.70	56.60	17	135	

BROWN

PURPLE

MODEL 7009

- Front Material: Stainless steel
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7009P ONLY)

REMOVABLE SIDE SHIELD P/N 219
PERMANENT SIDE SHIELD ORDER 7009P



SIZE | 52 -17-135

52.00	33.00	55.80	17	135

MODEL 7010

- Front Material: Stainless steel
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7010P ONLY)

REMOVABLE SIDE SHIELD P/N 220
PERMANENT SIDE SHIELD ORDER 7010P



SIZE | 52 -17-135

52.00	33.00	54.60	17	135

MODEL 7015

- Front Material: Stainless steel
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7015P ONLY)

REMOVABLE SIDE SHIELD P/N 225
PERMANENT SIDE SHIELD ORDER 7015P



7015P

Permanent Side Shields



SIZE

56-16-145					
59-16-145	56.00	34.40	60.80	16	145
	59.00	35.80	64.00	16	145

MODEL 7016

- Front Material: Cellulose acetate
- Temple Material: Cellulose acetate
- Small head fit
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD P/N 226
PERMANENT SIDE SHIELD ORDER 7016P



BLACK

BROWN



Z87-2+H
frame for
smaller
head fit

SIZE | 52 -16-135

52.00	28.00	53.80	16	135

MODEL 7017

- Front Material: Stainless steel
- Temple Material: Cellulose acetate
- Small head fit
- Standards: ANSI Z87.1

REMOVABLE SIDE SHIELD P/N 227
PERMANENT SIDE SHIELD ORDER 7017P



GREEN

PURPLE



Z87-2+H
frame for
smaller
head fit

SIZE | 52 -17-135

52.00	28.00	54.80	17	135

MODEL 7018

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
- CSA Z94.3 (7018P ONLY)

REMOVABLE SIDE SHIELD P/N 228
PERMANENT SIDE SHIELD ORDER 7018P



BLACK

BURGUNDY



SIZE | 54 -15-135

54.00	35.60	56.60	15	135



7018P
Permanent Side Shields

MODEL 7100

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7100P ONLY)

REMOVABLE SIDE SHIELD P/N 229

PERMANENT SIDE SHIELD ORDER 7100P



BLACK/GREY

BROWN/BLACK



SIZE	□	□	▢	⌗	—
55-16-140	55.00	37.40	58.60	16	140
58-16-145	58.00	39.40	61.90	16	145

MODEL 7101

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7101P ONLY)

REMOVABLE SIDE SHIELD P/N 231

PERMANENT SIDE SHIELD ORDER 7101P



BLACK/BROWN

CHAR/GREY



SIZE	□	□	▢	⌗	—
56-16-140	56.00	34.50	59.10	16	140
59-16-145	59.00	36.70	62.30	16	145

MODEL 7102

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7102P ONLY)

REMOVABLE SIDE SHIELD P/N 232

PERMANENT SIDE SHIELD ORDER 7102P



BROWN

PINK



SIZE | 54 - 16 - 135

□	□	▢	⌗	—
54.00	35.00	56.40	15	135

MODEL 7103

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7103P ONLY)

REMOVABLE SIDE SHIELD P/N 233
PERMANENT SIDE SHIELD ORDER 7103P



SIZE | 54 -17-135

54.00	36.50	56.50	17	135

MODEL 7105

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7105P ONLY)

REMOVABLE SIDE SHIELD P/N 234
PERMANENT SIDE SHIELD ORDER 7105P



SIZE | 53 -16-138

53.00	35.90	56.20	16	138

MODEL 7106

- Front Material: Cellulose acetate
 - Temple Material: Cellulose acetate
 - Standards: ANSI Z87.1
CSA Z94.3
- (7106P ONLY)

REMOVABLE SIDE SHIELD P/N 235
PERMANENT SIDE SHIELD ORDER 7106P



SIZE | 50 -16-138

50.00	35.80	51.90	16	138

MODEL 7107

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7107P ONLY)

REMOVABLE SIDE SHIELD P/N 254
PERMANENT SIDE SHIELD ORDER 7107P



BLACK



7107P
Permanent Side Shields



MODEL 7108

- Front Material: Stainless steel
 - Temple Material: Stainless steel
 - Standards: ANSI Z87.1
CSA Z94.3
- (7108P ONLY)

REMOVABLE SIDE SHIELD P/N 255
PERMANENT SIDE SHIELD ORDER 7108P



BLACK



7108P
Permanent Side Shields



SIZE | 48 -21-145



48.00 41.00 51.50 21 145

SIZE | 60 -17-140



60.00 36.40 64.00 17 140

THE TITANIUM COLLECTION

gives you the support and strength
you need on the job without the
heavy feel. You can depend on these
lightweight, contemporary designs
to outlast even your toughest job.



MODEL 8001

- Front Material: Titanium
 - Temple Material: Titanium
 - Standards: ANSI Z87.1
CSA Z94.3
- (8001P ONLY)

REMOVABLE SIDE SHIELD P/N 240
PERMANENT SIDE SHIELD ORDER 8001P



8001P

Permanent Side Shields

SIZE					
55-17-140	54.80	35.50	59.10	17	140
58-17-145	58.00	37.20	62.30	17	145

MODEL 8002

- Front Material: Titanium
 - Temple Material: Titanium
 - Standards: ANSI Z87.1
CSA Z94.3
- (8002P ONLY)

REMOVABLE SIDE SHIELD P/N 241
PERMANENT SIDE SHIELD ORDER 8002P



8002P

Permanent Side Shields

SIZE					
56-17-140	56.40	35.30	60.00	17	140
59-17-145	59.40	36.80	63.10	17	145

SIDE SHIELDS. WE'VE GOT YOU COVERED.

To protect your eyes from workplace hazards, side shields are available for all Armourx frames.

ARMOURX SIDE SHIELDS ARE:

- Tested per ANSI and/or CSA Standards
- Impact resistant
- Resistant to lens cleaning chemicals
- Durable - will not crack or craze over time

Removable side shields are ordered as a separate accessory and each side shield is designed to fit a specific frame. Permanently attached side shields are attached with a decorative rivet. Permanent side shields are attached at the factory, so you won't have to worry about extra little parts needed, or riveting.

NO ASSEMBLY REQUIRED!



REMOVABLE



PERMANENT -RIVETED

ORDERING SIDE SHIELDS

All Armourx frames are available in 2 configurations **without side shields** and **with permanently attached side shields**.

The model number is different for these 2 configurations.

TO SPECIFY A FRAME WITH PERMANENTLY ATTACHED SIDE SHIELDS

WHEN ORDERING, ADD

P

TO THE END OF THE MODEL #



EXAMPLE:



MODEL 7001

- Side shields are available as separate accessory



MODEL 7001P

- Side shields are permanently attached

ONGUARD NEW MODEL 2019



BASIC COLLECTION 2019

ONGUARD 013

- Material: Acetate

ANSI Z87.1 | CSA Z94.3



Black



Tortoise

A	DBL	TMP	B	ED	Side Shields
49	19	145	36	50.8	013EZ - EZ Shield™

ONGUARD 014

- Material: Acetate

ANSI Z87.1 | CSA Z94.3



Matte Clear



Matte tortoise

A	DBL	TMP	B	ED	Side Shields
50	16	145	32	51.9	014EZ - EZ Shield™

ONGUARD 015

- Material: Acetate

ANSI Z87.1 | CSA Z94.3



Black



Tortoise

A	DBL	TMP	B	ED	Side Shields
52	17	140	34	54.5	015EZ - EZ Shield™



SPECIALTY COLLECTION 2019

ONGUARD 800

- Material: Polycarbonate/
Thermoplastic Rubber (TPR)



Rx Carrier

A	DBL	B	ED
48	17	41	53.7

ANSI Z87.1 (Droplets, Splash (D3) and Dust (D4)) | CSA Z94.3

VALUE COLLECTION 2019

ONGUARD 021

- Material: Acetate
- Spring Hinges



Tortoise/Navy

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
53	18	140	35	55.8	021EZ - EZ Shield™

WRAP COLLECTION

- Features the OG 220S - our most versatile and best selling frame
- Designed to cover needs in environments ranging from every day wear to extreme working conditions



Top Collection Seller
OG 220S

ONGUARD 210S

- Material: Thermoplastic polyurethane (Forceflex®)



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
57	16	120	34	58.9	Integrated

ONGUARD 220S (DD WITH DUST DAM)

- Material: Nylon
- Specially designed to fit a range of sizes from petite women to men



ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
55	15	130	34	57.8	Integrated
58	15	135	36	60.9	

ONGUARD 220FS

- Material: Nylon
- Removable full eye seal protects against dust and dirt in extreme conditions
- Indirect venting improves airflow and reduces fogging
- Removable strap included



A	DBL	TMP	B	ED	Side Shields
58	15	135	36	60.4	Integrated

ANSI Z87.1 | CSA Z94.3

ONGUARD 225S

- Material: Nylon
- Removable full dust dam available (sold separately)
- Removable temple strap included
- Additional close-fit bridge included



ANSI Z87.1 | CSA Z94.3 | EN166



A	DBL	TMP	B	ED	Side Shields
55	15	130	34	57.2	Integrated
57	16	135	37	59.4	
61	17	135	39	63.3	

ONGUARD 230S

- Material: Nylon
- 6-base insert with an 8-base look
- Comfort fit bridge
- Removable temple strap included



ANSI Z87.1



A	DBL	TMP	B	ED	Side Shields
55	22	118/135	32	56.8	Integrated

ONGUARD 240S

- Material: Nylon
- Removable full dust dam available (sold separately)
- Comes standard with ANSI plano sun lenses (non-polarized)
- Removable temple strap included



ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
57	15	135	37	59.8	Integrated
61	15	135	38	63.9	

ONGUARD 255S

- Material: Nylon
- Telescopic temples



ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
59	15	130/145	39	62.2	Integrated

TITANIUM COLLECTION

- Superior strength, slim profiles, light weight comfort
- Hypoallergenic material increases wearer compatibility
- Spring hinges or flex temples for long lasting adjustment and wear



Top Collection Seller
OG 702FT

ONGUARD 076



- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



Antique
Bronze

Antique
Green

A	DBL	TMP	B	ED	Side Shields
51	19	140	36	54.4	141SS - Removable
53	19	140	38	56.4	141PS - PERMAshield™
					141EZ - EZ Shield™

ONGUARD 099

- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
53	19	140	34	54.8	169SS - Removable
55	19	140	35	56.9	169PS - PERMAshield™
					169EZ - EZ Shield™

ONGUARD 109

- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	17	140	36	56.0	179SS - Removable
54	17	140	37	58.3	179PS - PERMAshield™
					179EZ - EZ Shield™

ONGUARD 110

- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	19	140	32	54.1	180SS - Removable
54	19	140	33	56.0	180PS - PERMAshield™
					180EZ - EZ Shield™

ONGUARD 140

- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
51	19	140	36	53.3	21355 - Removable
53	19	145	34	55.5	

ONGUARD 700

- Material: Titanium
- Spring Hinges
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	18	125	31	53.9	508EZ - EZ Shield™
54	18	125	32	55.0	
56	18	130	33	57.5	

ONGUARD 701FT



- Material: Flex Titanium
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
54	18	135	33	56.4	701EZ - EZ Shield™
56	18	140	34	58.5	

ONGUARD 702FT



- Material: Flex Titanium
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
50	18	135	30	52.6	702EZ - EZ Shield™
52	18	135	31	54.6	
54	18	140	32	57.0	

ONGUARD 709FT



- Material: Flex Titanium
- Nickel Free

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	19	140	42	57.1	165EZ - EZ Shield™
54	19	145	43	59.3	

ELITE COLLECTION

- Featuring the newest side shield technology, i-Shield™
- i-Shield™ can be used as a removable or permanent shield and maintains the frame style integrity while ensuring safety
- Contemporary styles with metal and acetate combinations for both men and women



Top Collection Seller
OG 613

ONGUARD 610

- Material: Stainless Steel/Acetate
- Spring hinges



Silver



Navy

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
52	16	135	34	54.6	610i
54	17	140	34	56.4	

ONGUARD 611

- Material: Stainless Steel/Acetate
- Spring hinges



Gold



Black

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
52	16	130	32	54.3	611i
54	17	135	33	56.3	

ONGUARD 612

- Material: Stainless Steel/Acetate
- Spring hinges



Satin Brown



Matte Black

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
51	15	130	32	53.4	611i
53	16	135	32	55.6	

ONGUARD 613

- Material: Stainless Steel/Acetate
- Spring hinges



Black



Brown



Navy

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
54	17	135	33	57.5	613i
57	17	145	33	60.2	

ONGUARD 614

- Material: Stainless Steel
- Spring hinges



ANSI Z87.1 | CSA Z94.3

Matte Silver



Matte
Black

A	DBL	TMP	B	ED	Side Shields
55	17	140	37	58.0	
58	18	140	37	60.5	

ONGUARD 615

- Material: Stainless Steel
- Spring hinges



ANSI Z87.1 | CSA Z94.3*

Burgundy



Matte
Grey

A	DBL	TMP	B	ED	Side Shields
48	16	135	35	50.8	
50	18	135	36	52.6	

*Note: The 48 eye size does not meet CSA.

ONGUARD 616

- Material: Stainless Steel
- Spring hinges



Matte Navy

ANSI Z87.1 | CSA Z94.3



Matte
Silver

A	DBL	TMP	B	ED	Side Shields
54	18	135	38	57.3	
60	19	145	39	62.6	

ONGUARD 617

- Material: Stainless Steel
- Spring hinges



Grey

ANSI Z87.1 | CSA Z94.3



Matte
Brown

A	DBL	TMP	B	ED	Side Shields
56	18	140	36	59.4	
59	18	140	36	62.2	

NEW RELEASE

ONGUARD 618

- Material: Acetate
- Spring hinges



NEW



Brown

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
53	17	135	37	65	618i
55	17	140	37	57.9	

ONGUARD 619

- Material: Acetate
- Spring hinges



NEW



Tortoise

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
52	17	135	36	54.9	619i
54	17	140	36	56.9	

ONGUARD 620

- Material: Acetate
- Spring hinges



NEW



Matte Navy

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
57	18	145	38	61.4	620i
59	18	145	38	63.2	

ONGUARD 621

- Material: Acetate
- Spring hinges



NEW



Burgundy

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
50	17	135	33.5	59.2	621i
52	17	135	33.5	54.6	

PREMIUM COLLECTION

- Fashionable and sophisticated styles for both men and women
- All styles featuring spring hinges



Top Collection Seller
OG 508

ONGUARD 108

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3



Blue



Black

Burgundy

A	DBL	TMP	B	ED	Side Shields
52	17	135	32	54.0	17855 - Removable

ONGUARD 115

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3



Charcoal



Chocolate Chrome

A	DBL	TMP	B	ED	Side Shields
50	18	140	34	52.8	18555 - Removable
52	18	140	36	55.0	185PS - PERMAshield™

ONGUARD 122

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3



Charcoal - Shape B



Gold - Shape A

Shape A	A	DBL	TMP	B	ED	Side Shields
Shape A	48	17	140	36	49.0	192SS - Removable
Shape B	50	18	140	34	53.2	193SS - Removable
	52	18	140	35	54.7	193PS - PERMAshield™

*Note: Side shields are not interchangeable

ONGUARD 125



- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3



Chocolate Chrome



Brushed Silver

	A	DBL	TMP	B	ED	Side Shields
Shape A	53	17	140	34	55.8	196SS - Removable
Shape B	55	17	140	35	57.9	196PS - PERMAshield™

196EZ - EZ Shield™

ONGUARD 135



- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3*



Grey



Brown

	A	DBL	TMP	B	ED	Side Shields
Shape A	51	18	140	34	54.3	20955 - Removable
Shape B	53	18	140	35	56.3	

*Note: The 51 eye size does not meet CSA.

ONGUARD 138



- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3



Black



Brown

Grey

	A	DBL	TMP	B	ED	Side Shields
Shape A	55	19	140	32	56.4	211EZ - EZ Shield™

ONGUARD 143

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Demi Amber

Black

A	DBL	TMP	B	ED	Side Shields
52	16	145	32	53.9	216SS - Removable
54	16	145	33	55.8	

ONGUARD 144

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Black

Brown

A	DBL	TMP	B	ED	Side Shields
54	17	145	30	55.1	217EZ - EZ Shield™
56	17	145	32	57.5	

ONGUARD 309

Available with nose pads; order OG 309NP.

- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Demi Amber Crystal

Black Crystal

Havana Crystal

A	DBL	TMP	B	ED	Side Shields
51	18	135	34	52.7	133SS - Removable

ONGUARD 314


- Material: Monel
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Wine Chrome

Chocolate Chrome

Steel Blue

A	DBL	TMP	B	ED	Side Shields
51	18	135	34	52.2	185SS - Removable
					185PS - PERMAshield™
					155EZ - EZ Shield™

ONGUARD 400 & 400A (ASIAN FIT)


- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Wine

Tortoise

A	DBL	TMP	B	ED	Side Shields
54	18	135	35	56.2	400EZ - EZ Shield™

ONGUARD 401 & 401A (ASIAN FIT)


- Material: Acetate
- Spring hinges

ANSI Z87.1 | CSA Z94.3

Blue

Purple

A	DBL	TMP	B	ED	Side Shields
52	17	135	30	53.2	401EZ - EZ Shield™

ONGUARD 403

- Material: Stainless Steel
- Spring hinges



Black

ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
49	17	130	30	51.2	403EZ - EZ Shield™
51	17	135	31	53.1	

ONGUARD 450



- Material: Stainless Steel
- Spring hinges



Brown

Gunmetal (51/53)

ANSI Z87.1 | CSA Z94.3*

A	DBL	TMP	B	ED	Side Shields
49	18	135	30	50.6	450EZ - EZ Shield™
51	18	140	31	52.6	
53	18	145	33	54.9	

*Note: The 49 eye size does not meet CSA.

ONGUARD 451



- Material: Stainless Steel
- Spring hinges



Brown

Rose

ANSI Z87.1 | CSA Z94.3*

A	DBL	TMP	B	ED	Side Shields
46	18	130	30	47.4	450EZ - EZ Shield™
48	18	135	31	49.7	
50	18	140	33	51.8	

*Note: The 46 eye size does not meet CSA.

ONGUARD 453



- Material: Stainless Steel
- Spring hinges



Bronze

Gunmetal

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
53	17	140	33	55.1	453EZ - EZ Shield™
55	19	145	35	57.3	

ONGUARD 505



- Material: Acetate
- Spring hinges



Brown

Black

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
54	18	140	31	55.8	505EZ - EZ Shield™
56	19	145	32	58.0	

ONGUARD 508



- Material: Stainless Steel
- Spring hinges



Black

Gold

Pewter

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
55	18	130	34	56.9	508EZ - EZ Shield™
57	18	130	35	59.3	
59	18	130	36	61.2	

VALUE COLLECTION

- Our broadest size range
- A wide selection of metals for men in both the classic double bar look and the more contemporary single bar
- Two acetates feature spring hinges



ONGUARD 016 & 016P*

- Material: Monel
- Spring Hinges

ANSI Z87.1 | CSA Z94.3




A	DBL	TMP	B	ED	Side Shields
54	15	140	48	62.4	1095S - Removable
56	15	140	49	63.5	109GS - Removable - Grey
58	15	140	51	66.3	*1175S - Removable
60	15	145	54	68.2	*116PS - PERMAshield™

ONGUARD 019

- Material: Monel
- Spring Hinges
- Unifit bridge

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
54	16	140	48	62.8	1095S - Removable
56	16	140	49	65.8	109GS - Removable - Grey

ONGUARD 065

- Material: Monel
- Spring Hinges

ANSI Z87.1 | CSA Z94.3




A	DBL	TMP	B	ED	Side Shields
52	17	140	36	56.7	131SS - Removable
54	17	140	38	58.9	131GS - Removable - Grey

ONGUARD 080

- Material: Acetate
- Spring Hinges

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
51	18	140	35	53.4	145SS - Removable
53	18	140	37	55.4	
55	18	145	39	57.1	

ONGUARD 081

- Material: Acetate
- Spring Hinges



ANSI Z87.1 | CSA Z94.3



Dark Grey

Brown

A	DBL	TMP	B	ED	Side Shields
53	17	140	36	56.7	146SS - Removable
55	17	140	39	58.6	
57	17	145	40	60.5	

ONGUARD 086



- Material: Monel
- Spring Hinges



ANSI Z87.1 | CSA Z94.3



Chocolate Chrome

Black Chrome

A	DBL	TMP	B	ED	Side Shields
51	19	140	35	53.1	151SS - Removable
53	19	140	37	54.8	151GS - Removable - Grey
55	19	145	38	57.4	151PS - PERMAshield™

ONGUARD 090

- Material: Monel
- Spring Hinges



ANSI Z87.1 | CSA Z94.3



Antique Pewter

Antique Bronze

A	DBL	TMP	B	ED	Side Shields
50	20	140	35	53.2	161SS - Removable - Grey
52	20	140	37	55.1	161PS - PERMAshield™
54	20	145	38	57.4	161EZ - EZ Shield™

ONGUARD 101



- Material: Monel
- Spring Hinges



ANSI Z87.1 | CSA Z94.3



Chocolate Chrome

Steel Blue

A	DBL	TMP	B	ED	Side Shields
48	21	135	33	49.3	163SS - Removable
50	21	135	34	51.3	163PS - PERMAshield™
					163EZ - EZ Shield™

ONGUARD 102

- Material: Monel
- Spring Hinges



ANSI Z87.1 | CSA Z94.3



Chocolate Chrome

Antique Pewter

A	DBL	TMP	B	ED	Side Shields
52	17	140	41	57.9	165SS - Removable
54	17	140	42	59.4	165PS - PERMAshield™
56	17	140	45	61.7	
58	17	140	46	64.5	

ONGUARD 103

- Material: Monel
- Spring Hinges

ANSI Z87.1 | CSA Z94.3



Chocolate
Chrome



Antique
Pewter

A	DBL	TMP	B	ED	Side Shields
55	21	145	34	56.8	182SS - Removable
					182PS - PERMAshield™

ONGUARD 112



- Material: Stainless Steel

ANSI Z87.1 | CSA Z94.3



Antique
Pewter



Chocolate
Chrome

A	DBL	TMP	B	ED	Side Shields
51	17	140	35	54.9	182SS - Removable
53	17	140	36	57.1	182PS - PERMAshield™

ONGUARD 113

- Material: Stainless Steel

ANSI Z87.1 | CSA Z94.3



Antique
Pewter



Chocolate
Chrome

A	DBL	TMP	B	ED	Side Shields
51	18	140	32	52.9	183SS - Removable
53	18	140	34	54.7	183PS - PERMAshield™

BASIC COLLECTION

- Popular styles for the cost conscious buyer
- Comprehensive size ranges are offered for a wide variety of fit requirements
- Both plastic and metal styles



Top Collection Seller
OG 070

ONGUARD 043

- Material: Propionate

ANSI Z87.1 | CSA Z94.3



Brown



Grey

A	DBL	TMP	B	ED	Side Shields
55	18	145	49	63.0	115SS - Removable
57	18	145	50	64.0	

ONGUARD 070

- Material: Nickel Silver



Gold



Gunmetal

ANSI Z87.1 | CSA Z94.3

	A	DBL	TMP	B	ED	Side Shields
50	16	140	33	53.1	204SS - Removable	
52	16	140	35	55.4	204PS - PERMAshield™	
54	16	140	36	57.3	204EZ - EZ Shield™	
56	16	145	37	59.6		

ONGUARD 071

- Material: Nickel Silver



Gold



Gunmetal

ANSI Z87.1 | CSA Z94.3

	A	DBL	TMP	B	ED	Side Shields
52	18	140	39	56.3	205SS - Removable	
54	18	140	40	58.7	205PS - PERMAshield™	
56	18	140	42	61.0	205EZ - EZ Shield™	

ONGUARD 085

- Material: Monel



Gunmetal



Gold

ANSI Z87.1 | CSA Z94.3

	A	DBL	TMP	B	ED	Side Shields
50	19	140	35	50.8	150SS - Removable	
52	19	140	36	52.8	150PS - PERMAshield™	
54	19	145	37	54.9		

ONGUARD 091

- Material: Monel
- Unifit bridge



Gunmetal



Gold

ANSI Z87.1 | CSA Z94.3

	A	DBL	TMP	B	ED	Side Shields
50	19	140	35	51.6	150SS - Removable	
52	19	140	36	53.6	150PS - PERMAshield™	
54	19	145	38	55.5		

ONGUARD 093

- Material: Monel



Gold



Gunmetal

ANSI Z87.1 | CSA Z94.3

	A	DBL	TMP	B	ED	Side Shields
48	21	135	33	48.8	163SS - Removable	
50	21	135	34	51.0	163PS - PERMAshield™	

ONGUARD 094

- Material: Monel



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
48	20	140	40	51.9	164SS - Removable
50	20	140	42	54.0	164PS - PERMAshield™ (both also available in grey)

ONGUARD 095

- Material: Monel



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
52	17	140	41	57.5	165SS - Removable
54	17	140	43	59.4	165PS - PERMAshield™
56	17	140	44	61.7	(both also available in grey)

ONGUARD 160S

- Material: Monel
- Comes standard with plano lenses



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
60	15	131	38	62.9	Integrated

SPECIALTY COLLECTION

- Featuring wire mesh side shields



Top Collection
Seller OG 088

ONGUARD 078

- Material: Propionate

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	18	145	38	55.3	Application: foundry
54	20	145	38	56.5	Attached Wire Mesh Side Shields

ONGUARD 088

- Material: Monel
- Spring Hinges

ANSI Z87.1 | CSA Z94.3



A	DBL	TMP	B	ED	Side Shields
52	20	140	42	55.1	Application: foundry
54	20	140	43	57.4	Attached Wire Mesh Side Shields

NEW RELEASE

PLANO COLLECTION

- Featuring CAT brand
- Non-Rxable safety frames
- Over the glass options



Top Collection Seller
Tread

TRACK



- Material: Polycarbonate
- Fog preventing coating
- Not for Rx use

ANSI Z87.1 | CSA Z94.3 | EN166



Clear

TREAD



- Material: Polycarbonate
- Three position adjustment front
- Fog preventing coating
- Not for Rx use



ANSI Z87.1 | CSA Z94.3 | EN166



Black with
Clear Lens

DOZER



- Material: Polycarbonate
- Fog preventing coating
- Not for Rx use



ANSI Z87.1 | CSA Z94.3 | EN166



Black with
Clear Lens

J-72

NEW

- Material: Polycarbonate
- Not for Rx use

ANSI Z87.1



Black with
Clear Lens

TROPHY



- Material: Polycarbonate
- Protective carrying pouch
- Adjustable Velcro retention strap for secure fit (removable)
- Not for Rx use



ANSI Z87.1 | ASTM F803



Black with
Clear Lens



Blue with
Clear Lens

PMEXTREME

- Material: Polycarbonate
- Includes black lanyard
- Not for Rx use

ANSI Z87.1



*Black with
Clear Lens*



*Blue with
Grey Lens*

VENTURE II

- Material: Polycarbonate
- Not for Rx use



ANSI Z87.1 | CSA Z94.3 | EN166



*Black with
Clear Lens*



*Black with Silver
Mirror Lens*

ZTEK

- Material: Polycarbonate
- Not for Rx use

ANSI Z87.1 | CSA Z94.3 | EN166



*Blue Mirror with
Blue Mirror Lens*



*Clear with
Clear Lens*



*Indoor/
Outdoor
Mirror*

GUARDIAN®

- Material: Polycarbonate
- Wear over Rx frames
- Not for Rx use



ANSI Z87.1



*Clear, vented
M/L*



Clear, M *Clear, L*

OCUSHIELD®

- Material: Polycarbonate
- Wear over Rx frames
- Not for Rx use





Meets OSHA 29 CFR 1910.1030








Clear

ONGUARD® QUICK FRAME REFERENCE CHART

BASIC	VALUE	WRAP	PREMIUM
ELITE	TITANIUM	SPECIALTY	PLANO
OG 016 & OG 016P* Pg 14 A pair of basic frames with a rectangular frame and a thin bridge. Gold 54-15-140 Side Shields *Gold/Black 56-15-140 109GS Gold/DA 58-15-140 *116PS *Gunmetal 60-15-145 *117PS	OG 076 Pg 6 A pair of value frames with a rectangular frame and a thin bridge. Antique Bronze 51-19-140 Side Shields Antique Green 53-19-140 141PS Antique Pewter 141SS 141EZ	OG 088 Pg 18 A pair of wrap frames with a rounded rectangular frame and a thin bridge. Antique Pewter 52-20-140 Side Shields 54-20-140 Attached with wire mesh Side Shields	OG 099 Pg 6 A pair of premium frames with a rectangular frame and a thin bridge. Silver 53-19-140 Side Shields 55-19-140 169EZ 169PS 169SS
OG 019 Pg 14 A pair of elite frames with a rectangular frame and a thin bridge. Gold 54-16-140 Side Shields 56-16-140 109GS 109SS	OG 078 Pg 18 A pair of titanium frames with a rectangular frame and a thin bridge. Brown 52-18-145 Side Shields Crystal 54-20-145 Attached with wire mesh Grey	OG 090 Pg 15 A pair of specialty frames with a rectangular frame and a thin bridge. Antique Bronze 50-20-140 Side Shields Antique Pewter 52-20-140 161PS 54-20-145 161SS	OG 101 Pg 15 A pair of plano frames with a rectangular frame and a thin bridge. Choc. Chrome 48-21-135 Side Shields Steel Blue 50-21-135 163PS 163SS 163EZ
OG 043 Pg 16 A pair of basic frames with a rectangular frame and a thin bridge. Brown 55-18-145 Side Shields Grey 57-18-145 115SS	OG 080 Pg 14 A pair of value frames with a rectangular frame and a thin bridge. Brown Amber 51-18-140 Side Shields Dark Grey 53-18-140 145SS 55-18-145	OG 091 Pg 17 A pair of wrap frames with a rounded rectangular frame and a thin bridge. Unifit Bridge Gold 50-19-140 Side Shields Gunmetal 52-19-140 150PS 54-19-145 150SS	OG 102 Pg 15 A pair of premium frames with a rectangular frame and a thin bridge. Antique Pewter 52-17-140 Side Shields Choc. Chrome 54-17-140 165PS 56-17-140 165SS 58-17-140
OG 065 Pg 14 A pair of elite frames with a rectangular frame and a thin bridge. Antique Bronze 52-17-140 Side Shields Antique Gold/DA 54-17-140 131GS Antique Pewter 131SS	OG 081 Pg 15 A pair of titanium frames with a rectangular frame and a thin bridge. Brown 53-17-140 Side Shields Dark Grey 55-17-140 146SS 57-17-145	OG 093 Pg 17 A pair of specialty frames with a rectangular frame and a thin bridge. Gold 48-21-135 Side Shields Gunmetal 50-21-135 163PS 163SS	OG 103 Pg 16 A pair of plano frames with a rectangular frame and a thin bridge. Antique Pewter 55-21-145 Side Shields Choc. Chrome 182PS 182SS
OG 070 Pg 17 A pair of basic frames with a rectangular frame and a thin bridge. Gold 50-16-140 Side Shields 52-16-140 204SS 54-16-140 204PS 56-16-145 204EZ	OG 085 Pg 17 A pair of value frames with a rectangular frame and a thin bridge. SunClip Gold 50-19-140 Side Shields Gunmetal 52-19-140 150PS 54-19-145 150SS	OG 094 Pg 18 A pair of wrap frames with a rounded rectangular frame and a thin bridge. Gold 48-20-140 Side Shields 50-20-140 164PS 164SS	OG 108 Pg 11 A pair of premium frames with a rectangular frame and a thin bridge. Black 52-17-135 Side Shields Blue 52-17-135 178SS Burgundy
OG 071 Pg 17 A pair of elite frames with a rectangular frame and a thin bridge. Gold 52-18-140 Side Shields 54-18-140 205SS 56-18-140 205PS 205EZ	OG 086 Pg 15 A pair of titanium frames with a rectangular frame and a thin bridge. SunClip Black Chrome 51-19-140 Side Shields Choc. Chrome 53-19-140 151SS 55-19-145 151PS	OG 095 Pg 18 A pair of specialty frames with a rectangular frame and a thin bridge. Gold 52-17-140 Side Shields 54-17-140 165PS 56-17-140 165SS	OG 109 Pg 6 A pair of plano frames with a rectangular frame and a thin bridge. Black Chrome 52-17-140 Side Shields Brown 54-17-140 179PS 179SS 179EZ





See our Safety Eyewear Accessories on page 35.



A-2® COLLECTIONS

A-2® frames feature the patented SpringGuard™ lens retention system which secures lenses efficiently with less frame mass. A-2 eyewear is thinner and lighter yet, incredibly, it exceeds the ANSI Z87.1 2010 impact standard by a comfortable margin.

A-2 FRAME TECHNOLOGY



Patent 5,862,529
Patented SpringGuard™ flat posterior lens lip design provides superior lens retention with SpringGuard beveled lenses.



Patent 6,715,873
Patented EZ Shield™ rivetless side shields provide the ultimate in easy permanent attachment.



Exclusive SAFE-LOK™ locking system keeps lenses and temples tight for superior impact resistance.

A-2 FLEX TITANIUM COLLECTION

- Premium collection of energy-absorbing frames that hold adjustment, incredibly lightweight and corrosion resistant



Top Collection Seller
SG 604FT

SG 600FT A-2 EZ

- Material: Titanium



	A	DBL	TMP	B	ED	Side Shields
50	20	135	31	51.1		SG 12 - EZ Shield™
53	20	140	33	53.8		

ANSI Z87.1

SG 601FT A-2 EZ

- Material: Titanium



	A	DBL	TMP	B	ED	Side Shields
56	18	140	42	60.5		SG 13 - EZ Shield™
59	18	140	44	64.1		

ANSI Z87.1 | CSA Z94.3

SG 602FT A₂ EZ

- Material: Titanium

ANSI Z87.1


Forrest


 Brown
Smoke

 Brushed
Wine

A	DBL	TMP	B	ED	Side Shields
49	19	130	30	50.8	SG 14 - <i>EZ Shield™</i>
52	19	135	32	53.7	

SG 604FT A₂ EZ

- Material: Titanium

ANSI Z87.1


Midnight



Bronze



Gunmetal

A	DBL	TMP	B	ED	Side Shields
50	18	135	30	51.7	SG 15 - <i>EZ Shield™</i>
53	18	140	31	55.3	

A₂ TITANIUM COLLECTION

- Superior collection of durable frames that are lightweight and corrosion resistant, featuring spring hinges


 Top Collection Seller
SG 403T

SG 400T A₂ EZ

- Material: Titanium
- Spring Hinges
- Unifit bridge

ANSI Z87.1 | CSA Z94.3


Bronze

A	DBL	TMP	B	ED	Side Shields
58	18	145	48	65.2	SG C104 - <i>EZ Shield™</i>

SG 401T A₂ EZ

- Material: Titanium
- Spring Hinges

ANSI Z87.1 | CSA Z94.3


Gold Tortoise

A	DBL	TMP	B	ED	Side Shields
56	18	145	44	62.4	SG C104 - <i>EZ Shield™</i>

SG 402T A₂ E₂

- Material: Titanium
- Spring Hinges



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
55	17	140	41	59.3	SG 3 - EZ Shield™
57	17	145	42	61.1	

SG 403T A₂ E₂

- Material: Titanium
- Spring Hinges



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
53	19	140	32	55.1	SG 6 - EZ Shield™
55	19	145	34	57.0	

SG 404T A₂ E₂

- Material: Titanium
- Spring Hinges



ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
49	19	135	30	49.9	SG 1 - EZ Shield™
51	19	140	33	52.1	

*Note: Only available in 51 eye size.

SG 405T A₂ E₂

- Material: Titanium
- Spring Hinges



A	DBL	TMP	B	ED	Side Shields
53	20	140	39	54.4	SG 3 - EZ Shield™

ANSI Z87.1 | CSA Z94.3

SG 406T A₂ E₂

- Material: Titanium
- Spring Hinges



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
58	18	145	41	62.5	SG 406 - EZ Shield™
60	18	150	43	64.9	

SG 407T A₂ E₂

- Material: Titanium
- Spring Hinges



ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
50	19	140	32	50.1	SG 1 - EZ Shield™
52	19	145	34	52.0	

A₂ PREMIUM COLLECTION

- Traditional metal frames featuring spring hinges



Top Collection Seller
SG 103

SG 101 A₂ EZ

- Material: Monel
- Spring hinges



ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
49	20	130	33	49.3	SG 1 - EZ Shield™
51	20	135	34	52.0	

SG 103 A₂ EZ

- Material: Monel
- Spring hinges



ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
54	18	140	39	57.4	SG 3 - EZ Shield™
56	18	145	40	59.4	
58	18	145	42	61.8	

SG 104 A₂ EZ

- Material: Monel
- Spring hinges



ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
53	18	140	37	56.6	SG 3 - EZ Shield™
55	18	145	39	58.0	

SG 105 A₂ EZ

- Material: Monel
- Spring hinges


ANSI Z87.1 | CSA Z94.3* | EN166

A	DBL	TMP	B	ED	Side Shields
49	19	135	32	50.1	SG 1 - <i>EZ Shield™</i>
51	19	140	33	52.1	

*Note: The 49 eye size does not meet CSA.
SG 106 A₂ EZ

- Material: Monel
- Spring hinges


ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
52	19	140	34	54.4	SG 6 - <i>EZ Shield™</i>
54	19	145	36	56.5	

SG 115 A₂ EZ


- Material: Monel
- Spring hinges


ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
50	18	130	29	51.0	SG 1 - <i>EZ Shield™</i>
52	18	135	31	53.2	

SG 118 A₂ EZ


- Material: Nickel Silver
- Spring hinges


ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
51	18	135	30	52.3	SG 6 - <i>EZ Shield™</i>
53	18	140	32	55.3	

SG 130 A₂ EZ

- Material: Nickel Silver
- Spring hinges


ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
54	18	145	30	55.3	SG 1 - <i>EZ Shield™</i>
56	18	150	30	56.9	

A₂ DELUXE COLLECTION

- Today's popular styling with a wide range of appeal, featuring spring hinges



Top Collection Seller
SG 122

SG 108 A₂ EZ

- Material: Acetate
- Spring hinges



Black Brown



Tortoise

ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
49	16	140	33	51.5	SG 8 - <i>EZ Shield™</i>
51	16	145	35	53.1	

SG 110 A₂ EZ

- Material: Acetate
- Spring hinges



Black Clear



Burgundy Blue

ANSI Z87.1

A	DBL	TMP	B	ED	Side Shields
49	18	135	31	49.1	SG 110 - <i>EZ Shield™</i>
51	18	140	33	51.1	

SG 111 A₂ EZ

- Material: Acetate
- Spring hinges



Black Honey



Tortoise

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
52	18	135	35	53.3	SG 111 - <i>EZ Shield™</i>
54	18	140	36	54.7	

SG 121 A₂ EZ

- Material: Nickel Silver
- Spring hinges



Matte Black



Pewter

ANSI Z87.1 | CSA Z94.3

A	DBL	TMP	B	ED	Side Shields
56	18	145	42	59.6	SG 3 - <i>EZ Shield™</i>
58	18	145	44	61.0	

SG 122

- Material: Nickel Silver
- Spring hinges



Bronze



Gold Matte
Tortoise

Matte Grey

A	DBL	TMP	B	ED	Side Shields
51	19	145	32	52.6	SG 6 - <i>EZ Shield™</i>
53	19	145	32	54.3	

*Note: The 51 eye size does not meet CSA.

ANSI Z87.1 | CSA Z94.3*

A2 VALUE COLLECTION

- Durable metal frames with traditional and contemporary styling



Top Collection Seller
SG 302

SG 300

- Material: Monel
- Unifit Bridge



Gold
Tortoise



Matte
Bronze

Matte
Grey

A	DBL	TMP	B	ED	Side Shields
56	18	140	47	63.7	SG C101 - <i>EZ Shield™</i>
58	18	145	49	65.7	

ANSI Z87.1 | CSA Z94.3

SG 301

- Material: Monel



Matte
Bronze



Gold Matte
Tortoise

Matte
Grey

A	DBL	TMP	B	ED	Side Shields
53	17	140	42	58.4	SG C101 - <i>EZ Shield™</i>
56	18	145	46	61.5	

ANSI Z87.1 | CSA Z94.3 | EN166

SG 302

- Material: Monel



Bronze



Gold
Tortoise

Pewter

A	DBL	TMP	B	ED	Side Shields
52	19	140	33	54.6	SG 6 - <i>EZ Shield™</i>
54	19	145	36	56.2	

ANSI Z87.1 | CSA Z94.3 | EN166

SG 303

- Material: Monel



Matte
Brown



Gold

Matte Shiny
Silver*

A	DBL	TMP	B	ED	Side Shields
49	20	130	32	50.0	SG 1 - <i>EZ Shield™</i>
51	20	135	34	51.5	

ANSI Z87.1 | CSA Z94.3 | EN166

*Note: Only available in 51 eye size.

A₂ BASIC COLLECTION

- Safety at a low price



Top Collection Seller
SG 200

SG 200 A₂ EZ

- Material: Acetate



*Charcoal
Fade*



*Brown
Fade**

ANSI Z87.1 | CSA Z94.3 | EN166

A	DBL	TMP	B	ED	Side Shields
54	14	140	51	60.6	SG 501 - <i>EZ Shield™</i>
56	14	145	52	62.4	

*Note: Only available in 54 eye size.

ONGUARD® QUICK FRAME REFERENCE CHART



BASIC

VALUE

DELUXE

PREMIUM

TITANIUM

FLEX TITANIUM

SPECIALTY

*While Supplies last

PHASE OUT FRAMES FOR 2018: SG 102, SG 201

SG 101*	Pg 28
Bronze 49-20-130 Burgundy 51-20-135 Tortoise	Side Shields SG 1

SG 108	Pg 30
Black Brown 49-16-140 Black Honey 51-16-145 Tortoise	Side Shields SG 8

SG 121*	Pg 30
Matte Black 56-18-145 Matte Bronze 58-18-145 Pewter	Side Shields SG 3

SG 301	Pg 31
Gold Matte Tort. 53-17-140 Matte Bronze 56-18-145 Matte Grey	Side Shields SG C101

SG 103	Pg 28
Bronze 54-18-140 Charcoal 56-18-145 Matte Tortoise 58-18-145	Side Shields SG 3

SG 110*	Pg 30
Black Clear 49-18-135 Brown Tan 51-18-140 Burgundy Blue	Side Shields SG 110

SG 122	Pg 31
Bronze 51-19-145 Gold Matte Tort. 53-19-145 Matte Grey	Side Shields SG 6

SG 302	Pg 31
Bronze 52-19-140 Gold Tortoise 54-19-145 Pewter	Side Shields SG 6

SG 104	Pg 28
Antique Pewter 53-18-140 Brown 55-18-145 Matte Tortoise	Side Shields SG 3

SG 111	Pg 30
Black Clear 52-18-135 Black Honey 54-18-140 Tortoise	Side Shields SG 111

SG 130*	Pg 29
Gold/Matte Black 54-18-145 Gold Tortoise 56-18-150 Silver/Matte Black	Side Shields SG 1

SG 303	Pg 31
Gold 49-20-130 Matte Brown 51-20-135 Matte Shiny Silver	Side Shields SG 1

SG 105	Pg 29
Brown 49-19-135 Matte Black 51-19-140 Tortoise	Side Shields SG 1

SG 115	Pg 29
Antique Brown 50-18-130 Navy Blue 52-18-135 Taupe	Side Shields SG 1

SG 200	Pg 32
Brown Fade 54-14-140 Charcoal Fade 56-14-145	Side Shields SG 501

SG 400T*	Pg 26
Bronze 58-18-145	Side Shields SG C104

SG 106	Pg 29
Bronze 52-19-140 Matte Black 54-19-145 Matte Charcoal	Side Shields SG 6

SG 118	Pg 29
Matte Bronze 51-18-135 Pewter Tortoise 53-18-140 Shiny Gold	Side Shields SG 6

SG 300	Pg 31
Gold Tortoise 56-18-140 Matte Bronze 58-18-145 Matte Grey	Side Shields SG C101

SG 401T*	Pg 26
Gold Tortoise 56-18-145	Side Shields SG C104



*While Supplies last

SIDE SHIELD REFERENCE GUIDE

FRAME	SIDE SHIELD	FRAME	SIDE SHIELD
5000	242	7018	228
5001	252	7100	229
5002	253	7101	231
7000	210	7102	232
7001	211	7103	233
7002	212	7105	234
7003	213	7106	235
7004	214	7107	254
7005	215	7108	255
7006	217	7400	244
7007	217	7401	245
7008	218	7402	244
7009	219	7403	249
7010	220	7404	250
7011	221	7405	251
7012	222	7701	236
7013	223	7700	236
7014	224	7701	236
7015	225	7702	236
7016	226	8000	239
7017	227	8001	240

SIDE SHIELD REFERENCE GUIDE

SIDE SHIELD	A2 STYLE NUMBER
SG1	101 105 115 130 303 404T 407T
SG3	103 104 121 402T 405T
SG6	106 118 122 302 403T
SG8	108
SG12	600FT
SG13	601 FT
SG14	602FT
SG15	604FT
SGC104	400T 401T
SG406	406T
SG501	200

SIDE SHIELD	OG STYLE NUMBER	SIDE SHIELD	OG STYLE NUMBER
109GS	016,019	185PS	115
109SS	016,019	185SS	115
115SS	043	192PS	112A
116PS	016P	192SS	122A
117SS	016P	193PS	112B
113GS	065	193SS	112B
131SS	065	196EZ	125
133SS	309	196PS*	125
141EZ	076	196SS*	125
141PS*	076	204EZ	070P
141SS*	076	204PS*	070P

SIDE SHIELD REFERENCE GUIDE

SIDE SHIELD	OG STYLE NUMBER	SIDE SHIELD	OG STYLE NUMBER
145SS	080	204SS*	070P
146SS	081	205EZ	071P
150PS	085,091	205PS*	071P
150SS	085,091	205SS*	071P
151GS	086	209SS	135
151PS	086	211EZ	138
151SS	086	211SS*	138
155EZ	314	213SS	140
155PS*	314	216SS	143
155SS*	314	217EZ	144
161PS	090	217SS*	144
161SS	090	400EZ	400,400A
163EZ	101	401EZ	401,401A
163PS*	093,101	403EZ	403
163SS*	093,101	450EZ	450,451
164PS	094	453EZ	453
164SS	094	505EZ	505
165EZ	709FT	508EZ	508,700
165PS	095,102	610IS	610
165SS	095,102	611IS	611,612
169EZ	099	613IS	613
169PS*	099	614IS	614
169SS*	099	615IS	615
178SS	108	616IS	616
179EZ	109	617IS	617

SIDE SHIELD REFERENCE GUIDE

SIDE SHIELD	OG STYLE NUMBER	SIDE SHIELD	OG STYLE NUMBER
179PS*	109	618IS*	618
179SS*	109	619IS	619
180EZ	110	620IS	620
180PS*	110	621IS	621
180SS*	110	701EZ	701FT
182PS	103,112	702EZ	702FT
182SS	103,112	INTEGRAL*	160S,210S,220S,220FS
183PS	113		225S,230S,240S,255S
183SS	113	WIRE MESH	078,088

CONTACT US



OFFICE

Unit 121, 10551 Shellbridge Way,
Richmond, BC V6X 2W8

TELEPHONE

1-604-939-9947

FAX

1-604-737-9967

WEBSITE

<http://eyesafebc.ca>

CONNECT WITH US!



www.facebook.com/eyesafebc



@eyesafebc

E-MAIL

info@eyesafebc.ca